Ref #	Hits	Search Query	DBs	Defaul t Operat or	Plura ls	Time Stamp
L2	0	("835876or835987806783 ").PN.	US-PGPU B; USOCR	OR	OFF	2006/01/19 17:40
S1	0	("835876or835987806783 ").PN.	US-PGPU B; USOCR	OR	OFF	2004/08/19 14:08
S2	28	"835876" or "835987" "806783"	USPAT	OR	OFF	2004/08/19 14:08
<b>S</b> 3	2	"835876" or "835987" "806783"	US-PGPU B	OR	OFF	2004/08/19 14:08
S4	2	"835876" or "835987" or "806783"	US-PGPU B	OR	OFF	2004/08/19 14:36
S5	571	semaphores	US-PGPU B	OR	OFF	2004/08/19 14:37
<b>S</b> 6	571	semaphores	US-PGPU B	OR	OFF	2004/08/19 14:37
S7	1254	semaphores	USPAT	OR	OFF	2004/08/19 14:37
S8	996	semaphores and location	USPAT	OR	OFF	2004/08/19 14:39
S9	59	(semaphores and location) and URL	USPAT	OR	OFF	2004/08/19 14:40
S10	59	((semaphores and location ) and URL) and access\$	USPAT	OR	OFF	2004/08/19 14:41
S11	51	(((semaphores and location ) and URL) and access\$) and format	USPAT	OR	OFF	2004/08/19 14:42
S12	51	((((semaphores and location) and URL) and access\$) and format) and software	USPAT	OR	OFF	2004/08/20 10:50
S13	5	network same semaphore same format\$	USPAT	OR	OFF	2004/08/20 10:51
S14	133	semaphore same format\$	USPAT	OR	OFF	2004/08/20 10:51

S15	1	( semaphore same format\$) and (URL)	USPAT	OR	OFF	2004/08/20 10:53
S16	42	( semaphore same format\$) and locked	USPAT	OR	OFF	2004/08/20 10:54
S17	42	(( semaphore same format\$) and locked) and read\$	USPAT	OR	OFF	2004/08/20 10:55
S18	16	((( semaphore same format\$) and locked) and read\$) and modify	USPAT	OR	OFF	2004/08/20 10:55
S19	15	(((( semaphore same format\$) and locked) and read\$) and modify) and write	USPAT	OR	OFF	2004/08/20 10:56
S20	15	((((( semaphore same format\$) and locked) and read\$) and modify) and write) and first	USPAT	OR	OFF	2004/08/20 10:56
S21	15	(((((( semaphore same format\$) and locked) and read\$) and modify) and write) and first) and second	USPAT	OR	OFF	2004/08/20 10:58
S22	15	((((((( semaphore same format\$) and locked) and read\$) and modify) and write) and first) and second) and memory	USPAT	OR	OFF	2004/08/20 11:03
S23	8	((((((( semaphore same format\$) and locked) and read\$) and modify) and write) and first) and second) and convert\$	USPAT	OR	OFF	2004/08/20 11:05
S24	204	semaphore\$ and URL	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:14
S25	168	(semaphore\$ and URL) and (format)	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:07

S26	1	((semaphore\$ and URL) and (format)) and (locked same read same write same modify)	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:11
S27	74	((semaphore\$ and URL) and (format)) and (locked)	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:12
S28	1	(((semaphore\$ and URL) and (format)) and (locked same read same write same modify)) and (read)	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:12
S29	70	(((semaphore\$ and URL) and (format)) and (locked)) and (read)	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:12
S30	1	((((semaphore\$ and URL) and (format)) and (locked same read same write same modify)) and (read)) and (write)	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:12
S31	66	((((semaphore\$ and URL) and (format)) and (locked)) and (read)) and (write)	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:12
S32	64	(((((semaphore\$ and URL) and (format)) and (locked)) and (read)) and (write)) and (modify)	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:39
S33	64	(((((((semaphore\$ and URL) and (format)) and (locked)) and (read)) and (write)) and (modify)) and (first same second)	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:15
S34	64	((((((semaphore\$ and URL) and (format)) and (locked)) and (read)) and (write)) and (modify)) and (application or program)	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:15
S35	42	((((((semaphore\$ and URL) and (format)) and (locked)) and (read)) and (write)) and (modify)) and convert	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:16

\$36	42	(((((((semaphore\$ and URL) and (format)) and (locked)) and (read)) and (write)) and (modify)) and convert) and (access or accessing)	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:17
S37	42	(((((((semaphore\$ and URL) and (format)) and (locked)) and (read)) and (write)) and (modify)) and convert) and network\$	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:17
S38	3	(((((((semaphore\$ and URL) and (format)) and (locked)) and (read)) and (write)) and (modify)) and convert) and socket	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:36
S39	13	network same internet same semaphores	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:22
S40	12	(network same internet same semaphores) and format	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:22
S41	0	((network same internet same semaphores) and format) and various	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:23
S42	12	((network same internet same semaphores) and format) and multiple	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:23
S43	0	((network same internet same semaphores) and format) and (multiple near format)	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:23
S44	11	((network same internet same semaphores) and format) and synchroniz\$	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:24
S45	11	(((network same internet same semaphores) and format) and synchroniz\$) and url	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:24

S46	11	(((network same internet same semaphores) and format) and synchroniz\$) and memory	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:24
S47	11	(((network same internet same semaphores) and format) and synchroniz\$) and software	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:25
S48	8	(((network same internet same semaphores) and format) and synchroniz\$) and (first same software)	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:25
S49	2	"6519623".URPN.	USPAT	OR	OFF	2004/08/20 11:29
S50	0	network same semaphore same access\$ same data same URL	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:46
S51	0	network same semaphore same access\$ same URL	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:46
S52	0	network same semaphore same access same URL	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:46
S53	0	network same semaphore same URL	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:47
S54	104	semaphore.ti.	US-PGPU B; USPAT	OR	OFF	2004/08/20 11:47
S55	3	"871082" or "871176" or "871457"	US-PGPU B	OR	OFF	2004/08/20 12:06
S56	6	"6370569"	USPAT	OR	OFF	2004/08/20 13:54
S57	0	"6370569" and semaphore	USPAT	OR	OFF	2004/08/20 12:09

S58	17	("5706507"   "5745360"   "5774664"   "5774670"   "5878219"   "5890172"   "5974416"   "5978817"   "6041360"   "6061738"   "6076733"   "6094684"   "6101510"   "6119153"   "6138150"   "6163779"   "6175862").PN.	USPAT	OR	OFF	2004/08/20 12:10
S59	3	"6370569".URPN.	USPAT	OR	OFF	2004/08/20 12:11
S60	0	((("5706507"   "5745360"   "5774664"   "5774670"   "5878219"   "5890172"   "5974416"   "5978817"   "6041360"   "6061738"   "6076733"   "6094684"   "6101510"   "6119153"   "6138150"   "6163779"   "6175862").PN.) or "6370569".URPN.) and semaphore	USPAT	OR	OFF	2004/08/20 12:11
S61	20	network and semaphores. ab.	US-PGPU B; USPAT	OR	OFF	2004/08/20 13:57
S62	856	network and semaphores	USPAT	OR	OFF	2004/08/20 13:58
S63	66	(network and semaphores) and url	USPAT	OR	OFF	2004/08/20 14:03
S64	6	"6370569"	USPAT	OR	OFF	2004/08/20 14:13
S65	8	(data near socket) and semaphore	USPAT	OR	OFF	2004/08/20 14:15
S66	24	(data near socket) and semaphore	US-PGPU B; USPAT	OR	OFF	2004/08/20 14:16
S67	22	((data near socket) and semaphore) and format	US-PGPU B; USPAT	OR	OFF	2004/08/20 15:31
S68	0	"20020152280".URPN.	USPAT	OR	OFF	2004/08/20 14:18

S69	1265	718/104.ccls. or 711/152. ccls.	US-PGPU B; USPAT	OR	OFF	2004/08/20 15:34
S70	1069	718/104.ccls. or 711/152. ccls.	USPAT	OR	OFF	2004/08/20 15:35
S71	244	(718/104.ccls. or 711/152. ccls.) and locking	USPAT	OR	OFF	2004/08/20 15:51
S72	41	((718/104.ccls. or 711/152.ccls.) and locking) and (multithread\$ or multitask\$)	USPAT	OR	OFF	2004/08/20 15:37
S73	1	"835987"	US-PGPU B	OR	OFF	2004/08/20 15:41
S74	0	(((718/104.ccls. or 711/152.ccls.) and locking) and (multithread\$ or multitask\$)) and conver\$	US-PGPU B	OR	OFF	2004/08/20 15:41
S75	0	(((718/104.ccls. or 711/152.ccls.) and locking) and (multithread\$ or multitask\$)) and format	US-PGPU B	OR	OFF	2004/08/20 15:41
\$76	19	(((718/104.ccls. or 711/152.ccls.) and locking) and (multithread\$ or multitask\$)) and conver\$	USPAT	OR	OFF	2004/08/20 15:42
S77	9	((((718/104.ccls. or 711/152.ccls.) and locking) and (multithread\$ or multitask\$)) and conver\$) and format\$	USPAT	OR	OFF	2004/08/20 15:42
S78	35	((718/104.ccls. or 711/152.ccls.) and locking) and semaphore	USPAT	OR	OFF	2004/08/20 15:54
S79	0	(((718/104.ccls. or 711/152.ccls.) and locking) and semaphore) and url	USPAT	OR	OFF	2004/08/20 15:51

S80	80	((718/104.ccls. or 711/152.ccls.) and locking) and format\$	USPAT	OR	OFF	2004/08/20 15:52
S81	1	(((718/104.ccls. or 711/152.ccls.) and locking) and format\$) and url	USPAT	OR	OFF	2004/08/20 15:53
S82	152	((718/104.ccls. or 711/152.ccls.) and locking) and (semaphore or identifier or flag)	USPAT	OR	OFF	2004/08/20 15:54
S83	6	("5050070"   "5430860"   "6128677"   "6170030"   "6237019"   "6446149"). PN.	USPAT	OR	OFF	2004/08/24 15:59
S84	0	"6745274".URPN.	USPAT	OR	OFF	2004/08/24 16:01
S85	0	network same (semaphore and locking) same access. ab.	USPAT	OR	OFF	2004/08/24 16:14
S86	45	network same (semaphore or locking) same access. ab.	USPAT	OR	OFF	2004/08/24 16:14
S87	10	network same (semaphore) same access.ab.	USPAT	OR	OFF	2004/08/24 16:21
S88	0	network same (semaphore) same access same location. ab.	USPAT	OR	OFF	2004/08/24 16:21
S89	3	network same (semaphore or locking) same access same location.ab.	USPAT	OR	OFF	2004/08/24 16:22
S90	44	semaphore same location same (first same second)	USPAT	OR	OFF	2004/08/24 16:22
S91	42	(semaphore same location same (first same second)) and access	USPAT	OR	OFF	2004/08/24 16:22
S92	20	((semaphore same location same (first same second)) and access) and format	USPAT	OR	OFF	2004/08/24 16:23

S93	12	(((semaphore same location same (first same second)) and access) and format) and (convert\$)	USPAT	OR	OFF	2004/08/24 16:30
S94	264	semaphore same access\$ same data same (modify or read or write)	USPAT	OR	OFF	2004/08/24 16:31
S95	0	semaphore same access\$ same data same (modify or read or write) same format same location	USPAT	OR	OFF	2004/08/24 16:31
S96	14	semaphore same access\$ same data same (modify or read or write) same format	USPAT	OR	OFF	2004/08/24 16:33
S97	25	(semaphore or locking) same access\$ same data same (modify or read or write) same format	USPAT	OR	OFF	2004/08/24 16:33
S98	11	((semaphore or locking) same access\$ same data same (modify or read or write) same format ) not (semaphore same access\$ same data same (modify or read or write) same format )	USPAT	OR	OFF	2004/08/24 16:33
<b>S</b> 99	.0	semaphore same (access or conrol\$) same format same convert same (location or storage)	USPAT	OR	OFF	2004/08/24 16:42
S10 0	0	(semaphore or locking) same (access or conrol\$) same format same convert same (location or storage)	USPAT	OR	OFF	2004/08/24 16:42
S10 1	8	(semaphore or locking) same (access or conrol\$) same format\$ same convert\$ same (location or storage)	USPAT	OR	OFF	2004/08/24 16:43
S10 2	166	semaphore.ab.	USPAT	OR	OFF	2004/08/24 16:43

S10 3	151	semaphore.ab. and access\$	USPAT	OR	OFF	2004/08/24 16:45
S10 4	0	"6745274".PN. and format	USPAT	OR	OFF	2004/08/24 16:44
S10 5	53	(semaphore.ab. and access\$) and format	USPAT	OR	OFF	2004/08/24 16:50
S10 6	0	network same (semaphore or locking) same (URL near2 (storage or location))	USPAT	OR	OFF	2004/08/25 11:48
S10 7	0	network same (semaphore or locking) same (URL near3 (storage or location))	USPAT	OR	OFF	2004/08/25 11:48
S10 8	321	network same (URL near3 (storage or location))	USPAT	OR	OFF	2004/08/25 11:49
S10 9	114	network same (URL near (storage or location))	USPAT	OR	OFF	2004/08/25 11:50
S11 0	507	network same URL with location	USPAT	OR	OFF	2004/08/25 11:51
S11	13	network same URL near (directs or specifies) with location	USPAT	OR	OFF	2004/08/25 11:53
S11 2	2	network same URL near (directs or specifies) with location with user	USPAT	OR	OFF	2004/08/25 11:57
S11 3	0	network same sempahore same format\$ with convert\$ same (read or write or modify)	USPAT	OR	OFF	2004/08/25 12:01
S11 4	0	network same sempahore same (format\$ with convert\$)	USPAT	OR	OFF	2004/08/25 11:59
S11 5	6	network same (sempahore or locking) same (format\$ with convert\$)	USPAT	OR	OFF	2004/08/25 12:00
S11 6	0	network same semaphore same format\$ with convert\$ same (read or write or modify)	USPAT	OR	OFF	2004/08/25 12:01

S11 7	0	network same (semaphore or locking) same format\$ with convert\$ same (read or write or modify)	USPAT	OR	OFF	2004/08/25 12:01
S11 8	0	network same (semaphore or locking) same (format\$ with convert\$) same (read or write or modify)	USPAT	OR	OFF	2004/08/25 12:01
S11 9	0	network same semaphore same locking same read same write same modify	USPAT	OR	OFF	2004/08/25 12:02
S12 0	0	network same semaphore same read same write same modify	USPAT	OR	OFF	2004/08/25 12:02
S12 1	5	network same semaphore same format	USPAT	OR	OFF	2004/08/25 12:04
S12 2	851	semaphore same access	USPAT	OR	OFF	2004/08/25 12:05
S12 3	103	(semaphore same access) and (format\$ with convert\$)	USPAT	OR	OFF	2004/08/25 12:05
\$12 <sub>.</sub>	88	((semaphore same access) and (format\$ with convert\$)) and (first with second)	USPAT	OR	OFF	2004/08/25 12:06
S12 5	5	("5778388"   "6014674"   "6275832"   "6496944"   "6567928").PN.	USPAT	OR	OFF	2004/08/25 12:34
S12 6	2	(("5778388"   "6014674"   "6275832"   "6496944"   "6567928").PN.) and semaphore	USPAT	OR	OFF	2004/08/25 12:35
S12 7	308	semaphore and (format same convert\$)	USPAT	OR	OFF	2004/08/25 17:49
S12 8	1	(semaphore and (format same convert\$)) and (useable with format)	USPAT	OR	OFF	2004/08/25 17:54
\$12 9	0	semaphore with format with convert\$ with application	USPAT	OR	OFF	2004/08/25 17:55

S13 0	0	semaphore with format with convert\$	USPAT	OR	OFF	2004/08/25 17:55
S13	36	semaphore same format\$ same (convert\$ or chang\$)	USPAT	OR	OFF	2004/08/25 18:02
S13 2	1	semaphore same format same request same access same queue	USPAT	OR	OFF	2004/08/25 18:03
S13	851	semaphore same access	USPAT	OR	OFF	2004/08/25 18:04
S13 4	203	(semaphore same access) and locking	USPAT	OR	OFF	2004/08/25 18:05
S13 5	1	"6405233".PN. and read	USPAT	OR	OFF	2004/08/25 18:04
S13 6	186	((semaphore same access) and locking) and read	USPAT	OR	OFF	2004/08/25 18:05
S13 7	166	(((semaphore same access) and locking) and read) and write	USPAT .	OR	OFF	2004/08/25 18:05
S13 8	104	((((semaphore same access) and locking) and read) and write) and modify	USPAT	OR	OFF	2004/08/25 18:06
S13 9	. 99	((((((semaphore same access) and locking) and read) and write) and modify) and request\$	USPAT	OR	OFF	2004/08/25 18:06
S14 0	` 41	(((((((semaphore same access) and locking) and read) and write) and modify) and request\$) and queue	USPAT	OR	OFF	2004/08/25 18:06
S14 1	26	(((((((semaphore same access) and locking) and read) and write) and modify) and request\$) and queue) and format	USPAT	OR	OFF	2004/08/26 10:06
S14 2	11	semaphore same access same format same user	USPAT	OR	OFF	2004/08/26 10:06

S14 3	15	semaphore same access same format same user	US-PGPU B; USPAT	OR	OFF	2004/08/26 10:07
S14 4	40	(semaphore same access same request) and (format same convert\$)	US-PGPU B; USPAT	OR	OFF	2004/08/26 10:16
S14 5	1	semaphore same access same (memory with computer) same format	US-PGPU B; USPAT	OR	OFF	2004/08/26 10:17
S14 6	170	semaphore and access and (memory with location) and (format with convert\$)	US-PGPU B; USPAT	OR	OFF	2004/08/26 10:19
S14 7	163	(semaphore and access and (memory with location) and (format with convert\$)) and execut\$	US-PGPU B; USPAT	OR	OFF	2004/08/26 10:19
S14 8	155	((semaphore and access and (memory with location) and (format with convert\$)) and execut\$) and (first with (application or process or task or program))	US-PGPU B; USPAT	OR	OFF	2004/08/26 10:20
S14 9		(((semaphore and access and (memory with location) and (format with convert\$)) and execut\$) and (first with (application or process or task or program))) and (read same write same modify same lock)	US-PGPU B; USPAT	OR	OFF	2004/08/26 10:24
S15 0	59	(((semaphore and access and (memory with location) and (format with convert\$)) and execut\$) and (first with (application or process or task or program))) and (read and write and modify and lock)	US-PGPU B; USPAT	OR	OFF	2004/08/26 10:33
S15	67	(semaphore near access\$) and format and (memory with location)	US-PGPU B; USPAT	OR	OFF	2004/08/26 10:34

S15 2	61	(semaphore near access\$) and format and (memory with location) and synchr\$	US-PGPU B; USPAT	OR	OFF	2004/08/26 10:36
S15 3	1	(semaphore near access\$) and format and (memory with location) and synchr\$ same (read and write and modify and lock\$)	US-PGPU B; USPAT	OR	OFF	2004/08/26 10:36
S15 4	61	((semaphore near access\$) and format and (memory with location) and synchr\$ ) and (read or write or modify or lock\$)	US-PGPU B; USPAT	OR	OFF	2004/08/26 10:37
S15 5	23	(((semaphore near access\$) and format and (memory with location) and synchr\$) and (read or write or modify or lock\$)) and (read and write and modify and lock\$)	US-PGPU B; USPAT	OR	OFF	2004/08/26 10:47
S15 6	344	semaphore and (format with conver\$)	US-PGPU B; USPAT	OR	OFF	2004/08/26 10:48
S15 7	335	(semaphore and (format with conver\$)) and access\$	US-PGPU B; USPAT	OR	OFF	2004/08/26 10:49
S15 8	172	((semaphore and (format with conver\$)) and access\$) and (memory near location)	US-PGPU B; USPAT	OR	OFF	2004/08/26 10:49
S15 9	153	(((semaphore and (format with conver\$)) and access\$) and (memory near location)) and (queue or fifo)	US-PGPU B; USPAT	OR	OFF	2004/08/26 10:50
S16 0	140	((((semaphore and (format with conver\$)) and access\$) and (memory near location)) and (queue or fifo)) and synchr\$	US-PGPU B; USPAT	OR	OFF	2004/08/26 10:50

\$16 1	136	((((((semaphore and (format with conver\$)) and access\$) and (memory near location)) and (queue or fifo)) and synchr\$) and request	US-PGPU B; USPAT	OR	OFF	2004/08/26 10:51
S16 2	0	ll21 and (read and write and modify and lock\$)	US-PGPU B; USPAT	OR	OFF	2004/08/26 10:52
S16 3	59	((((((semaphore and (format with conver\$)) and access\$) and (memory near location)) and (queue or fifo)) and synchr\$) and request) and (read and write and modify and lock\$)	US-PGPU B; USPAT	OR	OFF	2004/08/26 10:58
S16 4	19	(semaphore near access) and (format near convert\$)	US-PGPU B; USPAT	OR	OFF	2004/08/26 11:01
\$16 5	1	(semaphore near access) and (format near convert\$) and (read and write and modify and lock\$)	US-PGPU B; USPAT	OR	OFF	2004/08/26 11:02
\$16 6	1	(semaphore near access\$) and (format near convert\$) and (read and write and modify and lock\$)	US-PGPU B; USPAT	OR	OFF	2004/08/26 11:02
S16 7	1	(semaphore near3 access\$) and (format near convert\$) and (read and write and modify and lock\$)	US-PGPU B; USPAT	OR	OFF	2004/08/26 11:03
\$16 8	3	(semaphore with access\$) and (format near convert\$) and (read and write and modify and lock\$)	US-PGPU B; USPAT	OR	OFF	2004/08/26 11:03
\$16 9	0	(network same semaphore same access same format\$).ab.	US-PGPU B; USPAT	OR	OFF	2004/08/26 11:04
S17 0	0	(semaphore same access same format\$).ab.	US-PGPU B; USPAT	OR	OFF	2004/08/26 11:04

S17 1	0	semaphore with access same format near convert\$	US-PGPU B; USPAT	OR	OFF	2004/08/26 11:05
S17 2	1	semaphore same format. ab.	US-PGPU B; USPAT	OR	OFF	2004/08/26 11:05